

Hazardous Materials Management Program

HAZARDOUS WASTE STORAGE AREA WEEKLY INSPECTION CHECKLIST

Ins	spections must be conduc	ted on a weekly basis. Maintain checklist as documentation o	f this req	uiremer	nt. Inspe	ction p	rogram	must m	eet requ	uirement	s of 22 C	CR §662	265.174. Retain red	cords at the Departme	nt level.
						St	torage	e Acc			Locat	•)		JUNE
Inspector(s) Name: Total Number of				cilitie	es		Auto	Auto-shop		□ Water		ont		Month	JUNE
		☐ Solid (oily rags)		□ Other											2016
				l Li		iquid (oils,		fuels, chemi		s)			□ Compressed (essed Gas Cyl	
Cor	ntainers & Type	WK1WK2WK3WK4WK5	WK1_	W	K2	WK3	W	(4	WK5_				WK1WK	2WK3WK	4WK5
		Description	WK 1		WK2		WK3		WK4		WK5			y observations checked 'NO'.	Date Corrected
				NO	YES	NO	YES	NO	YES	NO	YES	NO			
1.	Is the area free o	f debris and other materials?													
2.	Is the ground clea	Is the ground clean and dry, free from spills or leaks?													
3.	Are all of the containers in good condition?(free of dents and corrosion, not bulging, or otherwise deteriorating?)														
4.	Are all containers	properly sealed closed?													
5.	Are containers ha facing forward?	azardous waste labels legibly filled out and													
5a		and address Accumulation start date, al State, and Hazardous Properties?													
6.	Are empty bins to received date?	urned upside down, labeled "Empty", with													
7.		n disposed of within the allowable ne? (90-Days-FiscalQtr)													
8.	Are the container	rs compatible with their contents? red separately?													
9.	Is there adequate	e aisle space?													
10.	Spill kits readily a	vailable													
11.	Fire extinguishers	s within 50', with current inspection tags													
12.	1 .	showers, other emergency response onal and easily accessible?													
		Inspector Initial	S												
	Use the back of this form as needed														

California Maritime Academy	Weekly Hazardous Materials/Waste Storage Area Inspection Form	Document # XXX-XXX	Page 1 of 1
Safety & Risk Management		Revision: 001	